

BRAVIA™ 4K HDR Professional Displays

Innovative displays designed for business

43" – 85"
XH8-series

- FWD-43X80H/T
- FWD-49X80H/T
- FWD-55X80H/T
- FWD-65X80H/T
- FWD-75X80H/T
- FWD-85X80H/T





4K HDR picture quality

Bring the incredible depth and quality of 4K HDR resolution to your organisation with BRAVIA 4K Professional Displays, available in 43" – 85" screen sizes.

Superior displays designed for business

Advanced control, professional mode, optional interactive compatibility, 18/7 operation and an embedded HTML5 platform for easy digital signage creation; our BRAVIA 4K Displays are designed to suit all your professional needs so you always present a clear image.

Professional design

Our line-up offers all the technological performance and style you'd expect from BRAVIA, powered by the latest X1 enhanced processor. The 4K LCD panel produces four times the pixels of Full HD for outstanding picture quality, while the ultra-slim design enhances any corporate or retail environment.

Do more with our BRAVIA solutions

Look no further with BRAVIA. Our XH8 range features a number of fantastic built-in and optional solutions to customise your BRAVIA exactly the way you want. From meeting room solutions, TEOS Manage, TEOS Connect, TDM Digital Signage, Smart Automation System and the Applications Store, without the need for any external devices or players.

Key Features


Beautifully realistic 4K HDR images

Our 4K HDR Processor X1™ features Object-based HDR remaster, Super Bit Mapping HDR and Dynamic Contrast Enhancer. You'll appreciate the difference with enhanced depth, more realistic textures and pure, natural colours at higher brightness levels.

Additionally, you have the ability to mirror your content directly from your device into your BRAVIA via Apple AirPlay and Chromecast.

4K image resolution (3840 x 2160 pixels)

4K offers four times the detail of Full HD, with a resolution of over 8 million pixels bringing extra clarity to corporate display, education and digital signage applications.





Ultimate Picture Quality



Improve content quality with Reality Creation

This high picture quality engine takes Full HD content much, much closer to 4K Ultra HD quality. Whether it's a presentation to clients or engaging digital signage, you'll get the best picture possible.

Easily create digital signage

Integrated support for HTML5 makes it easy to produce compelling digital signage, with no extra hardware or prior training needed. Combine graphics, text, 4K video and live web content to create attractive signage in minutes.

Pictures and sound in perfect harmony

Sony's Acoustic Multi-Audio™ system combines two sound positioning tweeters in the rear of the display with the bass reflex speakers for Sound-from-Picture Reality™. Action and sound are precisely aligned for even more immersive viewing.

Compatible with High Dynamic Range (HDR)

View a wider range of brightness levels with HDR, the emerging video format that allows content creators to expand their range of creativity.

Complete Simplicity



Installation friendly

The slim, stylish display offers a wide range of mounting options, is VESA compliant and integrates colour neatly into any corporate, retail or educational environment.

Automatic on/off feature

Easily programme your BRAVIA with the On Timer feature to automatically turn the flat panel on /off.

Do more with Android TV


Discover a world of apps and online content powered by Android TV. Use Voice Search to find content easily with no typing.

Professional Mode

There's now more control to disable input or remote control, remove labels and block buttons; customise and store display settings and features, add security then copy them easily from display to display via USB flash memory.

The total touchscreen solution

Turn your BRAVIA into an interactive touchscreen with our IR and capacitive technology overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 10 multi-touch points or more for greater interaction. Contact your local Sony dealer for more information.



Bring the incredible depth and quality of 4K HDR resolution to your business

Ideal for:

- Corporate presentation**
- Digital signage**
- Video conferencing**
- Education**

Do more with BRAVIA

Built-in solutions

Meeting room solution

Standard and enhanced interface in meeting rooms with smart features, and efficient automated systems for input management. There's no need for extra controllers in the room and settings stay exactly as they have been programmed.

Media Player

Easily play images, videos and HTML content on your Pro BRAVIA from a USB flash drive.

Android Applications store

Endless possibilities to display what you need, without external devices, through dedicated applications.



Optional Solutions

TEOS Connect

Great for collaborative working, TEOS Connect allows smooth, speedy wireless screen mirroring from laptops, directly to BRAVIA Professional Displays. It's available as an easy-to-install app, with no extra hardware needed.

TEOS Manage

Sony BRAVIA Professional Displays are fully compatible with TEOS Manage. Intelligent workspaces can now have complete control of all of their connected devices and content in boardrooms, meeting rooms, offices, public areas and other locations. Plus, there's no player required.

Digital Signage Platform (TDM Digital Signage)

Create and generate your signage content simply and without limitation. This easy-to-use authoring tool lets you combine text, graphics, video, social media feeds and other live web content to produce dynamic marketing messages.



XH8-series Specifications

| | | FWD-43X80H/T | FWD-49X80H/T | FWD-55X80H/T | FWD-65X80H/T | FWD-75X80H/T | FWD-85X80H/T | |
|------------------------|---|--|--|--|--------------------------------|--|---------------------------------|--|
| Display features | Screen Size (inch, measured diagonally) | 43"(42.5") | 49"(48.5") | 55"(54.6") | 65"(64.5") | 75"(74.5") | 85"(84.6") | |
| | Brightness (cd/m ²) | 440 | 430 | 610 | 560 | 500 | 560 | |
| | Native contrast ratio | 1100:1 | | 1200:1 | | 4000:1 | | |
| | Dynamic contrast ratio | 400000:1 | 390000:1 | 500000:1 | | 450000:1 | 500000:1 | |
| | Display resolution (H x V, pixels) | 3840x2160 | | | | | | |
| | Panel type | VA | | | | | | |
| | Dimming type | Frame Dimming | | | | | | |
| | Display device | LCD | | | | | | |
| | Backlight type | Edge LED | | | Direct LED | | | |
| | Operation time | 18/7 | | | | | | |
| Aspect Ratio | 16:09 | | | | | | | |
| Professional features | Professional Hidden Mode | Yes | | | | | | |
| | HDMI auto wake-up | Yes | | | | | | |
| | Multicast/ IPTV | Yes | | | | | | |
| | Compatible with TDM Digital Signage/ TEOS Solutions | Yes | | | | | | |
| | Operating System | Android 9.0 Pie | | | | | | |
| | On-board Storage (GB) | 16GB | | | | | | |
| Display System | TV System (Digital Terrestrial) | DVB-T/T2 | | | | | | |
| | TV System (Digital Cable) | DVB-C | | | | | | |
| | TV System (Digital Sat) | DVB-S/S2 | | | | | | |
| | Number of Tuners (Terrestrial/Cable) | 1(Digital/Analog) | | | | | | |
| | Number of Tuners (Sat) | 1 | | | | | | |
| Network Features | Wi-Fi Direct | Yes | | | | | | |
| | Wi-Fi Certified | Yes | | | | | | |
| | Screen mirroring(Miracast™) | Yes (only for B2B purpose) | | | | | | |
| | Apple AirPlay | Yes *1 | | | | | | |
| | Chromecast built-in | Yes | | | | | | |
| | Internet Browser | Vewd | | | | | | |
| | Codec for Home Network | MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8,HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG | | | | | | |
| | Firmware update | Yes | | | | | | |
| | Wireless LAN | Integrated | | | | | | |
| | Convenience features | USB playback codecs | MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8,HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG | | | | | |
| HDMI-CEC | | Yes | | | | | | |
| i-Manual | | Yes | | | | | | |
| On Screen Clock | | Yes | | | | | | |
| Sleep Timer | | Yes | | | | | | |
| On/Off Timer | | Yes | | | | | | |
| Display Language | | AFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,CZE,DAN,DEU,GRE,ENG,SPA,EST,BAQ,PER,FIN,FRA,GLG,GUJ,HIN,HRV,HUN,IND,ISL,ITA,HEB,JPN,KAZ,KAN,KOR,KIR,LAO,LIT,LAV,MAC,MAL,MON,MAR,MAY,BUR,NOB,NEP,NLD,ORI,PAN,POL,POR,RUM,RUS,SOL,SLV,ALB,SRP,SWE | | | | | | |
| IP Control | | Yes | | | | | | |
| Pro mode | Yes | | | | | | | |
| Inputs & Outputs | HDMI Signal | 4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60Hz), 1080p(30,50,60Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p | | | | | | |
| | HDCP | HDCP2.3(for HDMI1/2/3/4) | | | | | | |
| | RF (Terrestrial/Cable) Connection Input(s) | 1(Side) | | | | | | |
| | IF (Satellite) Input(s) | 1(Side) | | | | | | |
| | Composite Video Input(s) | 1(Bottom) | | | 1(Side) | | | |
| | HDMI inputs total | 4(3Side,1Bottom) | | | 4(4Side) | | | |
| | USB ports | 2(Side) | | | | | | |
| | Ethernet inputs | 1(Bottom) | | | 1(Side) | | | |
| Audio specifications | HDMI PC Input Format | 640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 3840x2160p(30Hz), 3840x2160p(60Hz, 8bits) | | | | | | |
| | PCMCIA Slot(s) | 1(Top) | | | | | | |
| | Speaker Position | Down Firing | | | | | | |
| Video Specifications | Audio Power Output | 10W + 10W | | | | | | |
| | Wide Mode | Auto/Wide zoom/Normal/Full/Zoom/14:9 | | | | | | |
| | 4:3 Default | Yes | | | | | | |
| | Video Processing | 4K X-Reality PRO | | | | | | |
| Design Features | 4K Processor | X1 4K HDR Processor | | | | | | |
| | HDR (High Dynamic Range) compatibility | Yes(HDR10,HLG,Dolby Vision) | | | | | | |
| | Cable Management | Yes | | | | | | |
| | Frame color | Black | | | | | | |
| | Stand Design | Slim Blade Stand | | | | | | |
| Eco & energy saving | VESA® Hole Spacing Compatible | Yes | | | | | | |
| | VESA® Hole Pitch(W x H) | 10.0x20.0 cm | 20.0x20.0 cm | 30.0 x 30.0 cm | Approx 30.0 x 30.0 cm | 30.0x30.0 cm | | |
| | Energy Label Rating | A | | | | | | |
| | Power Consumption | Standard: 66.0W | Standard: 74.0W | Standard: 114.0W | Standard: 137.0W | Standard: 227.0W | Standard: 235.0W | |
| | Power Consumption (in Standby) | 0.50W | | | | | | |
| | Peak luminance ratio for EU | 70% | 71% | 71% | 69% | 69% | 70% | |
| | Mercury content(mg) | 0.0 | | | | | | |
| | Power Saving Mode / Back Light Off Mode | Yes | | | | | | |
| Dimensions | Display only (W x H x D) | Approx. 97.0x57.0x5.7(1.30) cm | Approx. 110.1x64.5x5.7(1.30) cm | Approx. 124.3 x 71.8 x 7.1(1.6) cm | Approx. 146.2x84.1x7.1(1.6) cm | Approx. 168.6x96.9x7.2(1.5)cm | Approx. 189.9x108.9x7.1(1.6) cm | |
| | Display with Stand (W x H x D) | Approx. 97.0x63.0x28.6 cm | Approx. 110.1x70.4x28.6 cm | Approx. 124.3 x 78.2 x 34.0 cm | Approx. 146.2x90.5x34.0 cm | Approx. 168.6x104.2x41.4 cm | Approx. 189.9x117.4x44.2 cm | |
| Weights (Approx.) | Display only | Approx. 9.4 Kg | Approx. 11.6 Kg | Approx. 16.0 kg | Approx 21.7 kg | Approx. 31.8 kg | Approx. 44.1 kg | |
| | Display with Stand | Approx. 9.8 Kg | Approx. 12.1 Kg | Approx. 16.8 kg | Approx 22.6 kg | Approx 32.9 kg | Approx. 45.6 kg | |
| | Package Carton(Gross) | Approx. 14 kg | Approx. 17 kg | Approx. 22 kg | Approx. 30 kg | Approx. 43 kg | Approx. 59 kg | |
| Optional accessories | Wallmount Bracket | SU-WL450(Terminal access limitation, refer to SU-WL450 product page) | | SU-WL450(Terminal access limitation, refer to SU-WL450 product page), SU-WL850(Refer to Country/Area Handling Chart) | | SU-WL450(Terminal access limitation, refer to SU-WL450 product page) | | |
| | Standard Warranty | 3 Years with Advanced Exchange | | | | | | |
| "Service and Warranty" | PrimeSupport reference | PSP.FDWXH43.2X | PSP.FDWXH49.2X | PSP.FDWXH8055.2X | PSP.FDWXH8065.2X | PSP.FDWXH8075.2X | PSP.FDWXH85.2X | |

*1: Available via future firmware update, Internet required

Optional accessories



CAB-VGAHDMI1
VGA to HDMI cable



SU-WL450/PSE
Wall Mount



TEOS Connect license
TEC-SC100



TEOS Manage licenses
TEM-CO10
TEM-MR10
TEM-DS10



TDM digital signage software licenses
TDM-DS1Y: 1 year
TDM-DS3Y: 3 years



Totems
TOT-XXX80H-IR10
TOT-XXX80H-CA10



Front Covers
FC-XXX80H/W
FC-XXX80H/WO



Touch overlays
TO-XXX80H-IR10
TO-XXX80H-CA10



Kiosks
KIO-XXX80H-IR10
KIO-XXX80H-CA10

*XX to be replaced by the display size.
Please find more accessories on our website.

PrimeSupport

All Sony BRAVIA Professional Displays sold into the EU, Norway and Switzerland come supplied with a 3 Year PrimeSupport pack, offering unique services and benefits, including:

- Freephone telephone helpdesk support (00 800 7898 7898) in 5 languages.
- A completely new replacement model rather than repair as standard.

In addition, optional PrimeSupport Plus packs can be purchased to add a 2 year extension of the standard 3 year PrimeSupport and to give long-term assurance of expert support, technical assistance for 5 years from purchase date.

PrimeSupport Pro

For full features visit pro.sony/products/professional-displays

© 2020 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony

Distributed by

SONY